

L Number	Hits	Search Text	DB	Time stamp
-	232	703/20 and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 10:40
-	211	703/20 and (memory address bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 10:41
-	176	703/20 and (address bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 10:41
-	97	703/20 and (address and bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 10:41
-	95	703/20 and (memory and address and bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 10:42
-	56	703/20 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 12:23
-	109	703/21 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 12:51
-	108	703/22 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 12:55
-	54	703/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:15
-	6	711/210 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:01

-	139	711/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:18
-	128	711/\$ and (memory adj model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:10
-	1	711/\$ and (memory adj model with error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:20
-	1	711/\$ and (memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:19
-	1	711/\$ and (memory adj model with error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:12
-	7	711/\$ and (memory adj model same error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:19
-	7	711/\$ and (memory adj model same error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	63	711/\$ and (memory adj model) and (memory same error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:14
-	50	711/\$ and (memory adj model) and (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:15
-	2	711/\$ and (memory adj model) same (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	9	714/33 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:16

-	4	714/42 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:16
-	2	714/53 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:16
-	1	714/54 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	99	714/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	3	714/\$ and (memory adj model) same (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	9	714/\$ and (memory adj model same error) and (address with bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:17
-	10	714/\$ and (memory adj model same error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:19
-	1	714/\$ and (memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:14
-	0	714/\$ and (lsi and memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:15
-	0	(lsi and memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:15
-	3	(lsi and memory same model same error same (address and bit)) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:15

-	84	(Isi and memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:18
-	76	(Isi and memory adj model and address and bit and error) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:17
-	5	error same memory same address same bit same reversal and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:19
-	607	error same memory same address and bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:21
-	30	error same memory same address same bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:21
-	1	703/\$ and error same memory same address same bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:22
-	1	703/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:22
-	1	711/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:22
-	16	714/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:28
-	0	714/\$ and memory near model and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:29
-	0	memory near model and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:29

-	0	memory near model and error same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:29
-	42	memory near model and error same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:30
-	6	memory near model and error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:32
-	50	memory near model and error same memory same bit and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:32
-	158	simulat\$4 and error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:33
-	0	simulat\$4 same error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:34
-	7	simulat\$4 same error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:33
-	0	simulat\$4 with memory and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:34
-	0	simulat\$4 with memory and error same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:34
-	6	simulat\$4 with memory and error same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:37
-	22	model\$4 with memory and error same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:37

-	0	09/659584	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:14
---	---	-----------	---	---------------------